

11-1-2011

Construction of Control Charts Based On Six Sigma Initiatives for the Number of Defects and Average Number of Defects per Unit

R. Radhakrishnan

P.S.G. College of Arts and Science, rkrishnan_cbe@yahoo.com

P. Balamurugan

The Kavery Engineering College

 Part of the [Applied Statistics Commons](#), [Social and Behavioral Sciences Commons](#), and the [Statistical Theory Commons](#)

Recommended Citation

Radhakrishnan, R. and Balamurugan, P. (2011) "Construction of Control Charts Based On Six Sigma Initiatives for the Number of Defects and Average Number of Defects per Unit," *Journal of Modern Applied Statistical Methods*: Vol. 10 : Iss. 2 , Article 22.
DOI: 10.22237/jmasm/1320121260

Construction of Control Charts Based On Six Sigma Initiatives for the Number of Defects and Average Number of Defects per Unit

R. Radhakrishnan
P.S.G. College of Arts and Science,
Coimbatore, India

P. Balamurugan
The Kavery Engineering College,
Tamilnadu, India

A control chart is a statistical device used for the study and control of a repetitive process. In 1931, Shewart suggested control charts based on 3 sigma limits. Today manufacturing companies around the world apply Six Sigma initiatives, with a result of fewer product defects. Companies practicing Six Sigma initiatives are expected to produce 3.4 or less number of defects per million opportunities, a concept suggested by Motorola in 1980. If companies practicing Six Sigma initiatives use control limits suggested by Shewhart, then no points will fall outside the control limits due to the improvement in the quality of the process. A Six Sigma based control chart is constructed for the number of defects and average number of defects per unit. Tables are provided to aid engineers in decision making.

Key words: Six Sigma quality level, control chart, process control, Six Sigma.

Introduction

The concept of Six Sigma was introduced in 1980 by engineer M. Harry at Motorola. Harry analyzed variations in outcomes of the company's internal procedures and realized that by measuring variations it was possible to improve the working of the system. The procedure was designed to improve overall performance. Companies practicing Six Sigma are expected to produce 3.4 or less number of defects per million opportunities. Radhakrishnan

and Sivakumaran (2008a, 2008b, 2008c, 2009a, 2009b, 2010) used the concept of Six Sigma in the construction of sampling plans, such as single, double and repetitive group sampling plans indexed through Six Sigma Quality Levels (SSQLs) with the Poisson distribution as the base line distribution. Radhakrishnan (2009) suggested a single sampling plan indexed through SSQLs based on Intervened Random Effect Poisson Distribution and the Weighted Poisson Distribution as the base line distributions. Radhakrishnan and Balamurugan (2010) constructed Six Sigma based control charts for the number of defectives. The control charts originated by W. A. Shewhart (1931) were based on 3 sigma control limits; if these same charts are used for the products of companies adopting Six Sigma initiatives in their processes, then no points will fall outside the control limits due to the improvement in quality. Thus, a separate control chart is required to monitor the outcomes of the companies that adopt Six Sigma initiatives.

R. Radhakrishnan holds a Bachelor and post graduate degrees in Statistics, M.Phil., Ph.D and a post graduate degree in Business Administration. He has 31 years of experience teaching theoretical and applied statistics, has presented more than 150 papers at national and international conferences and has published more than 100 articles. He is a quality auditor for ISO certification and a certified Six Sigma Black Belt. Email him at: rkrishnan_cbe@yahoo.com. P. Balamurugan is a Lecturer in Statistics. He holds a Bachelor degree, a post graduate degree and M.Phil. in statistics. He is a Research Scholar under the guidance of R. Radhakrishnan.

Definitions

- Upper specification limit (USL): The greatest amount specified by the producer for a process or product to have acceptable performance.

CONSTRUCTION OF CONTROL CHARTS BASED ON SIX SIGMA INITIATIVES

- Lower specification limit (LSL): The smallest amount specified by the producer for a process or product to have acceptable performance.
- Tolerance level (TL): The difference between USL and LSL, $TL = USL - LSL$.
- Process capability (C_p): The ratio of tolerance level to six times standard deviation of the process.

$$c_p = \frac{T_l}{6\sigma} = \frac{USL - LSL}{6\sigma}$$

- Subgroup size (N): The total number of samples.
- Subgroup size (n): The choice of the sample size n and the frequency of sampling.
- Quality control constants ($L_{6\sigma}$ & $R_{6\sigma}$): The constants introduced in this article, $L_{6\sigma}$ and $R_{6\sigma}$, determine the control limits based on Six Sigma initiatives for the number of defects and average number of defects per unit respectively.

Conditions for Application

1. Human involvement should be less in the manufacturing process; and
2. The company adopts Six Sigma quality initiatives in its processes.

Construction of Control Charts Based On Six Sigma Initiatives for the Number of Defects

Fix the tolerance level (TL) and process capability (C_p) to determine the process standard deviation ($\sigma_{6\sigma}$). Apply the value of $\sigma_{6\sigma}$ in the control limits $\bar{c} \pm L_{6\sigma}\sigma_{6\sigma}$, to find the control limits for the Six Sigma based control chart for the number of defects. The value of $L_{6\sigma} = 4.831$ is obtained using

$$p(z \leq z_{ss}) = 1 - \alpha_1, \alpha_1 = 3.4 \times 10^{-6},$$

where z is a standard normal variate. For a specified TL and C_p of the process, the values of σ (termed as $\sigma_{6\sigma}$) are calculated from

$$c_p = \frac{T_l}{6\sigma}$$

using a C program and are presented in Table 3 for various combinations of TL and C_p . The control limits based on Six Sigma initiatives for the number of defects are:

$$UCL_{6\sigma} = \bar{c} + L_{6\sigma}\sigma_{6\sigma}$$

$$\text{Central Line CL} = \bar{c}$$

$$LCL_{6\sigma} = \bar{c} - L_{6\sigma}\sigma_{6\sigma}.$$

Example 1

Consider an example from Mahajan (2005). Table 1 shows the numbers of missing rivets noted at aircraft final inspection.

Table 1: Missing Rivets Noted for Aircraft

Airplane No.	No. of Missing Rivets
1	8
2	16
3	14
4	19
5	11
6	15
7	8
8	11
9	21
10	12
11	23
12	16
13	9
14	25
15	15
16	9
17	9
18	14
19	11
20	9
21	10
22	22
23	7
24	28
25	9

Where

$$\bar{c} = \frac{\text{Number of defects in all samples}}{\text{Total number of samples}}$$

and

$$\bar{c} = \frac{\sum c}{N} = \frac{351}{25} = 14.04.$$

Three Sigma Control Limits for the Number of Defects

The 3σ control limits suggested by Shewhart (1931) are:

$$\begin{aligned} UCL_{3\sigma} &= \bar{c} + 3\sqrt{\bar{c}} \\ &= 14.04 + 3\sqrt{14.04} = 25.28 \\ CL_{3\sigma} &= \bar{c} = 14.04 \\ LCL_{3\sigma} &= \bar{c} - 3\sqrt{\bar{c}} \\ &= 14.04 - 3\sqrt{14.04} = 2.80 \end{aligned}$$

Figure 1 shows that airplane number 24 falls

above the upper control limit; therefore the process does not exhibit statistical control.


Control Limits Based on Six Sigma Initiatives for the Number of Defects

For a given TL = 21 (USL-LSL = 28-7) & Cp = 2.5, Table 3 shows that the value of σ_{6σ} is 1.4. The control limits based on Six Sigma initiatives for the number of defects for a specified TL and L_{6σ} are $\bar{c} \pm 4.831\sigma_{6\sigma}$ with

$$\begin{aligned} UCL_{6\sigma} &= \bar{c} + L_{6\sigma}\sigma_{6\sigma} \\ &= 14.04 + (4.831 \times 1.4) = 20.8 \\ CL_{6\sigma} &= \bar{c} = 14.04 \\ LCL_{6\sigma} &= \bar{c} - L_{6\sigma}\sigma_{6\sigma} \\ &= 14.04 - (4.831 \times 1.4) = 7.3 \end{aligned}$$

Figure 1 shows that airplane numbers 9, 11, 14, 22 and 24 are above the upper control limit and airplane number 23 falls below the lower control limit; therefore the process does not exhibit statistical control.

Figure 1: Process Comparison for 3σ Limits and Control Limits Using Six Sigma Initiatives



CONSTRUCTION OF CONTROL CHARTS BASED ON SIX SIGMA INITIATIVES

Construction of Control Chart Based On Six Sigma Initiatives for Average Number Defects per Unit

Fix the tolerance level (TL) and process capability (C_p) to determine the process standard deviation ($\sigma_{6\sigma}$). Apply the value of $\sigma_{6\sigma}$ in the control limits $\bar{u} \pm R_{6\sigma}\sigma_{6\sigma}$, to obtain the control limits for the control chart based on Six Sigma initiatives for average number of defects per unit. The value of $R_{6\sigma}$ is obtained using

$$p(z \leq z_{ss}) = 1 - \alpha_1, \alpha_1 = 3.4 \times 10^{-6}$$

where z is a standard normal variate. For a specified TL and C_p of the process, the value of σ (termed as $\sigma_{6\sigma}$) is calculated from $c_p = \frac{T_L}{6\sigma}$

using a C program. Table 4 presents calculated 6σ values for various combinations of TL and C_p . Further, the value of $R_{6\sigma}$ is obtained using the procedure given above and presented in Table 5 for various sample sizes. The control limits based on six sigma initiatives for average number of defects per unit are

$$UCL_{6\sigma} = \bar{u} + R_{6\sigma}\sigma_{6\sigma}$$

$$\text{Central Line, } CL_{6\sigma} = \bar{u}$$

$$LCL_{6\sigma} = \bar{u} - R_{6\sigma}\sigma_{6\sigma}$$

Example 2

Consider an example provided by Mahajan (2005). Table 2 shows the average number of outlet leaks per radiator for 10 lots (n) of 100 radiators (N) each.

The mean number of defects per unit in the lot, based on all the n samples is given by

$$\bar{u} = \frac{1}{n} \sum_{i=1}^n u_i = \frac{1.23}{10} = 0.123.$$

Table 2: Average Number of Outlet Leaks per Radiator

Lot No.	No. of Leaks (c)	Leaks per Radiator (c/N)
1	15	0.15
2	17	0.17
3	12	0.12
4	16	0.16
5	14	0.14
6	5	0.05
7	14	0.14
8	11	0.11
9	9	0.09
10	10	0.10
Total		$\sum 1.23$

Three Sigma Control Limits for Average Number of Defects per Unit

The 3σ control limits suggested by Shewhart (1931) are

$$UCL_{3\sigma} = \bar{u} + 3\sqrt{\bar{u}/n}$$

$$= 0.123 + 3\sqrt{0.123/100} = 0.228$$

$$CL_{3\sigma} = \bar{u} = 0.123$$

$$LCL_{3\sigma} = \bar{u} - 3\sqrt{\bar{u}/n}$$

$$= 0.123 - 3\sqrt{0.123/100} = 0.018$$

Figure 1 shows that the process is in control because all the samples lie within the control limits.

Control Limits Based on Six Sigma Initiatives for Average Number of Defects per Unit

For a given TL = 0.12 (USL-LSL = 0.17-0.05) and $C_p = 2.5$, Table 4 shows that the value of $\sigma_{6\sigma}$ is 0.008. The control limits based on Six Sigma initiatives for the average number of defects per unit chart for a specified TL and $\sigma_{6\sigma}$ are $\bar{u} \pm R_{6\sigma}\sigma_{6\sigma}$ with

$$\begin{aligned}
 UCL_{6\sigma} &= \bar{u} + R_{6\sigma} \sigma_{6\sigma} \\
 &= 0.123 + (0.4831 \times 0.008) = 0.127 \\
 CL_{6\sigma} &= \bar{u} = 0.123 \\
 LCL_{6\sigma} &= \bar{u} - R_{6\sigma} \sigma_{6\sigma} \\
 &= 0.123 - (0.4831 \times 0.008) = 0.12
 \end{aligned}$$

Figure 2 illustrates that the process is out of control because only one airplane number lies inside the control limits; thus, the process does not exhibit statistical control.

Conclusion

This article provided a procedure to construct control charts based on Six Sigma initiatives for the number of defects and average number of defects per unit. Using examples, it was found that the examined processes were not in control even when Six Sigma initiatives were adopted. It is clear from the comparison that when the process is centered with reduced variation many points fall outside the control limits, thus indicating that the processes are not at expected levels; thus, a correction in the process is required to reduce variations. The charts

suggested herein may be useful for companies practicing Six Sigma initiatives in their process. These charts can be used to replace existing Shewhart (1931) control charts implemented when companies first started implementing Six Sigma Initiatives.

References


Mahajan, M. (2005). *Statistical quality control (Revised Ed.)*. Delhi, India: Dhanpat Rai & Co., Ltd.

Radhakrishnan, R. (2009). *Construction of Six Sigma based sampling plans*. Unpublished D.Sc. thesis, Bharathiar University, Coimbatore, India.

Radhakrishnan, R., & Sivakumaran, P. K. (2008a). Construction and selection of Six Sigma sampling plan indexed through Six Sigma quality level. *International Journal of Statistics and Systems*, 3(2), 153-159.

Radhakrishnan, R., & Sivakumaran, P. K. (2008b). Construction of Six Sigma repetitive group sampling plan. *International Journal of Mathematics and Computation*, 1(8), 75-83.

Figure 2: Process Comparison of 3σ Limits and Control Limits Using Six Sigma Initiatives



CONSTRUCTION OF CONTROL CHARTS BASED ON SIX SIGMA INITIATIVES

Table 3: $\sigma_{6\sigma}$ Values for Specified C_p and TL for the Number of Defects

C_p	TL					
	20	21	22	23	24	25
1.0	3.3	3.5	3.7	3.8	4.0	4.2
1.1	3.0	3.2	3.3	3.5	3.6	3.8
1.2	2.8	3.0	3.1	3.2	3.3	3.5
1.3	2.6	2.7	2.8	2.9	3.1	3.2
1.4	2.4	2.5	2.6	2.7	2.9	3.0
1.5	2.2	2.3	2.4	2.6	2.7	2.8
1.6	2.1	2.2	2.3	2.4	2.5	2.6
1.7	2.0	2.1	2.2	2.3	2.4	2.5
1.8	1.9	1.9	2.0	2.1	2.2	2.3
1.9	1.8	1.8	1.9	2.0	2.1	2.2
2.0	1.7	1.8	1.8	1.9	2.0	2.1
2.1	1.6	1.7	1.7	1.8	1.9	2.0
2.2	1.5	1.6	1.7	1.7	1.8	1.9
2.3	1.4	1.5	1.6	1.7	1.7	1.8
2.4	1.4	1.5	1.5	1.6	1.7	1.7
2.5	1.3	1.4	1.5	1.5	1.6	1.7

Table 4: $\sigma_{6\sigma}$ Values for Specified C_p and TL for the Average Number of Defects per Unit

C_p	TL					
	0.10	0.11	0.12	0.13	0.14	0.15
1.0	0.017	0.018	0.020	0.022	0.023	0.025
1.1	0.015	0.017	0.018	0.020	0.021	0.023
1.2	0.014	0.015	0.017	0.018	0.020	0.021
1.3	0.013	0.014	0.015	0.017	0.018	0.019
1.4	0.012	0.013	0.014	0.015	0.017	0.018
1.5	0.011	0.012	0.013	0.014	0.016	0.017
1.6	0.010	0.011	0.013	0.014	0.015	0.016
1.7	0.010	0.011	0.012	0.013	0.014	0.015
1.8	0.009	0.010	0.011	0.012	0.013	0.014
1.9	0.009	0.010	0.010	0.011	0.012	0.013
2.0	0.008	0.009	0.010	0.010	0.012	0.013
2.1	0.008	0.009	0.010	0.010	0.011	0.012
2.2	0.008	0.008	0.009	0.010	0.011	0.011
2.3	0.007	0.008	0.009	0.009	0.010	0.011
2.4	0.007	0.008	0.008	0.009	0.010	0.010
2.5	0.007	0.007	0.008	0.009	0.009	0.010

Table 5: $R_{6\sigma}$ Values for a Specified Subgroup Size (n) for Average Number of Defects per Unit

Subgroup Size (n)	$R_{6\sigma}$
100	0.4831
101	0.4807
102	0.4783
103	0.4760
104	0.4737
105	0.4715
106	0.4692
107	0.4670
108	0.4649
109	0.4627
110	0.4606

Radhakrishnan, R., & Sivakumaran, P. K. (2008c). Construction and selection of conditional double sampling plan indexed through Six Sigma quality levels. *Sri Lankan Journal of Applied Statistics*, 9, 74-83.

Radhakrishnan, R., & Sivakumaran, P. K. (2009a). Construction of Six Sigma double sampling plans. *Proceedings of the National Seminar IT and Business Intelligence*, Nagpur, India.

Radhakrishnan, R., & Sivakumaran, P. K. (2009b). Construction of double sampling plans through Six Sigma quality levels. *Proceedings of the IEEE Second International Joint Conference on Computational Sciences and Optimization*, Sanya, Hainan, China, 1027-1030.

Radhakrishnan, R., & Sivakumaran, P. K. (2010). Construction and selection of tightened-normal-tightened schemes of type $tnt-(n_1, n_2; c)$ indexed through Six Sigma quality levels. *Proceedings of the 2010 International Conference on Industrial Engineering and Operations Management*, Dhaka, Bangladesh, 93.

Radhakrishnan, R., & Balamurugan, P. (2010). Six Sigma based control charts for number of defectives. *Proceedings of the 2010 International Conference on Industrial Engineering and Operations Management*, Dhaka, Bangladesh, 92.

Shewhart, W. A. (1931). *Economic control of quality of manufactured product*. New York, NY: Van Nostrand.